



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 08-JAN-26 to 04-MAR-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 08-JAN-26 to 04-MAR-26

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	10	11	8	16	13	14	18	9	105	84	82	54	34.8	1.6
Hepatitis C (newly acquired)	3	3	4	1	3		1		16	16	21	4	7.5	0.5
Hepatitis C (re-infection newly acquired)							1		1	2	3	1	0.9	1.2
Hepatitis C (re-infection unspecified)		1	1						2	0	0	0	0.0	0.0
Hepatitis C (unspecified)	11	27	15	20	18	20	26	18	165	132	133	82	66.5	1.2
Hepatitis D	1				1			1	3	3	4	2	0.8	2.5
Enteric diseases														
Campylobacteriosis	135	113	114	112	88	66	88	27	876	787	906	269	319.1	0.8
Cryptosporidiosis	8	4	6	3	3	4	6	1	45	464	140	14	77.9	0.2
Hepatitis A	1	1	1		1				5	9	5	1	1.6	0.6
Listeriosis					1				2	3	0	1	0.6	1.7
Paratyphoid fever				1		1			2	5	0	1	0.9	1.2
Rotavirus	44	31	37	46	34	15	8		259	87	140	57	50.1	1.1
STEC/VTEC infection	5	6	7	2	3	5	3	3	40	32	52	14	18.3	0.8
Salmonellosis	40	29	27	28	29	34	31	4	247	338	290	98	137.9	0.7
Shigellosis	18	9	7	10	12	7	4		74	128	90	23	28.9	0.8
Typhoid			1	2	1		4		8	7	4	5	2.1	2.4
Vibrio parahaemolyticus				1					2	4	7	0	1.1	0.0
Yersiniosis	4	6	1	2	3	5	4		29	17	12	12	5.5	2.2
Sexually transmissible infections														
Chlamydia (genital)	273	266	220	258	270	256	212	61	2005	2355	2390	799	989.3	0.8
Gonorrhoea	137	160	150	128	126	108	107	22	1044	941	999	363	327.7	1.1
Syphilis - Infectious	17	8	15	12	22	13	14	4	120	155	122	53	62.2	0.9
Syphilis - Non-Infectious	7	5	5	6	7	8	6	4	52	42	46	25	20.0	1.3
Vaccine preventable diseases														
Diphtheria				1	1	2	1		5	1	0	4	0.1	30.0
Influenza	211	166	133	132	141	155	95	28	1321	3036	1161	419	503.1	0.8
Measles		1			1		1		3	1	1	2	1.0	2.0
Mumps						1			1	3	3	1	0.6	1.7
Pertussis	49	38	31	31	25	24	20	3	266	403	58	72	40.6	1.8
Pneumococcal infection	2	3	2	2	3	2	1		19	19	24	6	9.7	0.6
Varicella (chicken pox)	5	9	5	7	11	7	6	1	66	92	70	25	33.5	0.7
Varicella (shingles)	46	29	38	42	49	43	27	5	325	459	425	124	210.3	0.6
Varicella (unspecified)	75	60	54	56	69	56	89	31	540	469	444	245	190.4	1.3
Vector-borne diseases														
Barmah Forest virus		1		1					2	5	4	0	2.1	0.0
Chikungunya	1				1				3	3	3	1	0.8	1.3
Dengue fever	13	7	9	6	4	5	5		56	127	68	14	21.6	0.6
Malaria	2		2	2	1	1	3		12	4	11	5	3.0	1.7
Ross River virus	14	15	9	6	10	9	7		84	144	74	26	62.7	0.4
Typhus			3	1		3			9	6	8	3	2.3	1.3
Zoonotic diseases														
Q Fever		1							1	3	0	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1	1				1	2	5	5	8	3	1.5	2.0
Legionellosis	1	2	1				1		6	11	12	1	4.1	0.2
Melioidosis				1					1	1	3	0	0.5	0.0
Meningococcal infection			2						2	1	0	0	0.5	0.0
Mpox		1							1	10	0	0	0.5	0.0
RSV	67	52	64	54	67	64	65	36	521	599	372	232	194.9	1.2
Tuberculosis	3	1	3	3	1	4	1	6	24	27	28	12	12.0	1.0
iGAS	7	3	8	5	4	2	7		40	37	38	13	11.5	1.1
Grand Total	1210	1070	984	998	1023	935	862	266						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	8	9	5	14	10	13	12	7	84	73	65	42	28.6	1.5
Hepatitis C (newly acquired)	1	1	4		3				10	12	14	3	6.1	0.5
Hepatitis C (re-infection unspecified)		1							1	0	0	0	0.0	0.0
Hepatitis C (unspecified)	9	20	14	13	12	17	20	16	127	101	93	65	49.3	1.3
Hepatitis D	1				1			1	3	3	4	2	0.8	2.5
Enteric diseases														
Campylobacteriosis	101	86	91	82	69	47	65	20	660	642	712	201	253.5	0.8
Cryptosporidiosis	7	4	3	1	1	3	4	1	31	400	120	9	64.7	0.1
Hepatitis A	1	1	1		1				5	8	4	1	1.4	0.7
Listeriosis					1				2	3	0	1	0.5	2.1
Paratyphoid fever				1		1			2	4	0	1	0.7	1.4
Rotavirus	40	26	33	43	31	13	3		229	81	129	47	45.9	1.0
STEC/VTEC infection	1	3	2	1	1	3	2	2	16	14	28	8	11.1	0.7
Salmonellosis	34	22	16	19	24	24	20	3	176	258	217	71	103.5	0.7
Shigellosis	16	8	5	9	9	6	2		61	98	71	17	20.6	0.8
Typhoid			1	1	1		4		7	7	4	5	1.9	2.7
Vibrio parahaemolyticus				1					2	4	6	0	1.0	0.0
Yersiniosis	4	5	1	2	2	5	4		26	17	10	11	4.6	2.4
Sexually transmissible infections														
Chlamydia (genital)	204	199	170	203	215	186	163	51	1529	1821	1882	615	779.1	0.8
Gonorrhoea	101	119	115	88	95	78	81	16	776	674	748	270	230.5	1.2
Syphilis - Infectious	7	6	9	10	15	12	10	1	80	108	78	38	39.5	1.0
Syphilis - Non-Infectious	4	5	4	6	5	8	5	3	42	27	23	21	13.1	1.6
Vaccine preventable diseases														
Influenza	169	140	116	113	126	125	81	27	1110	2124	934	359	346.0	1.0
Measles		1			1				2	1	1	1	0.5	1.9
Mumps						1			1	2	2	1	0.3	3.0
Pertussis	42	33	25	20	22	21	16	3	220	285	31	62	29.1	2.1
Pneumococcal infection		3		1	2	1	1		11	7	14	4	5.3	0.8
Varicella (chicken pox)	4	7	4	6	7	5	4		45	64	56	16	24.7	0.6
Varicella (shingles)	26	22	25	29	29	25	8		193	285	284	62	138.6	0.4
Varicella (unspecified)	72	59	54	56	66	56	86	31	526	458	426	239	183.6	1.3
Vector-borne diseases														
Chikungunya					1				2	2	3	1	0.7	1.4
Dengue fever	11	5	5	6	4	4	5		45	98	51	13	16.3	0.8
Malaria	1		1	2	1		2		8	3	9	3	2.4	1.3
Ross River virus	5	8	4	2	4	4	1		31	103	21	9	37.3	0.2
Typhus			2			2			5	3	4	2	1.2	1.7
Zoonotic diseases														
Q Fever		1							1	3	0	0	0.4	0.0
Other diseases														
Acute post-streptococcal glomerulon			1				1		2	2	6	1	0.5	2.1
Legionellosis	1	1	1			1			5	4	9	1	3.1	0.3
Meningococcal infection			2						2	1	0	0	0.3	0.0
Mpox		1							1	10	0	0	0.4	0.0
RSV	49	41	45	36	50	49	43	25	374	435	264	167	128.3	1.3
Tuberculosis	3	1	3	3	1	2	1	6	21	26	19	10	10.5	0.9
iGAS	2	2	4	3	3		2		19	16	23	5	6.3	0.8
Grand Total	924	840	766	771	813	712	646	213						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	4	13 (7)	2.8	2	8 (9)	3.1	1	21 (14)	4.4
Hepatitis C (newly acquired)			0.1		2 (5)	0.8		1 (2)	0.4
Hepatitis C (re-infection newly acquired)						0.1			
Hepatitis C (re-infection unspecified)						7.8		24 (21)	5.2
Hepatitis C (unspecified)	2	10 (10)	2.8	7	31 (16)		7		
Hepatitis D							1	2	0.4
Enteric diseases									
Campylobacteriosis	5	62 (83)	27.0	8	67 (77)	27.4	7	72 (85)	26.8
Cryptosporidiosis		4 (117)	1.5	1	2 (60)	0.9		3 (85)	1.4
Hepatitis A		1	0.1		(1)	0.3		(3)	0.2
Listeriosis					1	0.1			0.1
Paratyphoid fever		1	0.1						
Rotavirus		15 (15)	11.5		13 (8)	6.9		19 (10)	9.6
STEC/VTEC infection	1	1 (5)	0.4	1	5 (1)	1.2		2 (1)	0.5
Salmonellosis		16 (44)	6.4	1	34 (35)	9.8	2	21 (54)	5.7
Shigellosis		2 (13)	1.9		7 (12)	2.1		8 (13)	3.4
Typhoid		1	0.2		2 (1)	0.4		2 (1)	0.2
Vibrio parahaemolyticus		(1)	0.1		(2)	0.1			
Yersiniosis		5 (4)	1.1		(4)	0.8		6 (1)	1.3
Sexually transmissible infections									
Chlamydia (genital)	13	190 (267)	55.4	14	185 (263)	60.1	24	240 (290)	72.0
Gonorrhoea	3	75 (82)	25.0	3	75 (87)	29.0	10	120 (142)	40.9
Syphilis - Infectious		9 (15)	1.7		10 (18)	3.0	1	19 (22)	5.1
Syphilis - Non-Infectious	1	2 (5)	0.6		5 (6)	1.2	2	14 (4)	3.3
Vaccine preventable diseases									
Diphtheria									
Influenza	11	147 (318)	55.6	5	89 (286)	38.7	11	123 (316)	41.6
Measles					1	0.3			
Mumps					1	0.1			
Pertussis		17 (44)	10.9	2	19 (37)	8.3	1	26 (35)	7.8
Pneumococcal infection		2 (2)	0.4		2 (1)	0.5			0.5
Varicella (chicken pox)		4 (7)	1.7		6 (4)	1.6		6 (13)	2.2
Varicella (shingles)		29 (46)	8.8		17 (29)	7.0		16 (41)	7.8
Varicella (unspecified)	11	77 (60)	20.8	10	82 (59)	22.3	10	80 (69)	21.6
Vector-borne diseases									
Barmah Forest virus									
Chikungunya			0.1					1 (1)	0.1
Dengue fever		6 (10)	2.8		2 (10)	1.0		5 (11)	1.7
Malaria					3	0.9			0.1
Ross River virus		(16)	0.4		4 (40)	2.1		5 (16)	1.4
Typhus			0.2		(1)	0.1		2	0.2
Zoonotic diseases									
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		1	0.1			0.1			
Legionellosis			0.1		(1)	0.1		1 (1)	0.4
Melioidosis									
Meningococcal infection			0.1			0.1			
Mpox									0.1
RSV	9	57 (85)	17.1	7	54 (57)	15.0	9	56 (84)	13.9
Tuberculosis	2	3 (5)	0.8	2	3 (2)	0.9	2	4 (6)	0.8
iGAS		2 (2)	0.4		3 (1)	1.4			0.6
Grand Total	62	752 *****		63	733 *****		88	899 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		2 (2)	2.4		3 (1)	4.5		1	2.5
Hepatitis C (newly acquired)			0.5		1 (1)	4.5			
Hepatitis C (re-infection newly acquired)		1	0.5						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)		2 (3)	2.4	1	4 (3)	10.4		1 (1)	8.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	28 (27)	42.4		5 (9)	26.8	1	9 (4)	28.2
Cryptosporidiosis		1 (9)	2.4		1 (2)	1.5			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		5	5.8			1.5	2		7.4
STEC/VTEC infection	1	3 (3)	3.9		1	1.5			2.5
Salmonellosis		5 (7)	8.2		1 (6)	4.5		(5)	8.6
Shigellosis		(3)	0.5						
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis			0.5				1		1.2
Sexually transmissible infections									
Chlamydia (genital)	3	35 (48)	41.5		10 (9)	41.6	1	11 (14)	35.6
Gonorrhoea	1	12 (15)	17.4		2 (1)	10.4	1	3 (4)	12.3
Syphilis - Infectious	2	2 (1)	1.0					1	3.7
Syphilis - Non-Infectious		1 (3)	1.0		1 (1)	3.0			
Vaccine preventable diseases									
Diphtheria									
Influenza		22 (55)	37.6		3 (21)	32.7	1	9 (15)	25.8
Measles									
Mumps									
Pertussis		7 (11)	12.1		2 (3)	23.8			
Pneumococcal infection						3.0			
Varicella (chicken pox)	1	4 (1)	2.9		1	4.5		(2)	6.1
Varicella (shingles)	3	30 (33)	27.0	1	7 (9)	29.7		2 (9)	4.9
Varicella (unspecified)			0.5		1	3.0		2 (1)	3.7
Vector-borne diseases									
Barmah Forest virus		(1)	1.0						
Chikungunya									
Dengue fever		(4)	1.9					1 (1)	3.7
Malaria			0.5					1	1.2
Ross River virus		10 (11)	16.4		4	11.9		2 (1)	6.1
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									1.2
Legionellosis		(2)	0.5						
Melioidosis									
Meningococcal infection									
Mpox									
RSV	2	10 (6)	11.6	1	7 (3)	14.9		1 (2)	13.5
Tuberculosis		1	0.5			1.5			
iGAS		1 (1)	0.5					1	3.7
Grand Total	17	182 (246)		3	54 (69)		4	48 (59)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		1	2.8		2 (1)	5.2			
Hepatitis C (newly acquired)			2.8						
Hepatitis C (re-infection newly acquired)			1.4						
Hepatitis C (re-infection unspecified)		1 (4)	2.8		2 (1)	6.9		4 (1)	10.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	8 (8)	36.7		4 (1)	31.0		3 (3)	28.2
Cryptosporidiosis		3 (9)	9.9					(8)	1.7
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					1 (1)	1.7		2	6.6
STEC/VTEC infection		(2)	1.4			1.7			8.3
Salmonellosis		4 (6)	11.3		(1)	5.2	1	6 (6)	23.2
Shigellosis		3 (2)	5.7		1 (1)	1.7			1.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		13 (25)	74.9		24 (33)	91.2	3	36 (37)	124.4
Gonorrhoea		11 (6)	38.2		3 (29)	36.2	1	22 (16)	99.5
Syphilis - Infectious		1 (1)	9.9		1 (4)	3.4		2 (3)	6.6
Syphilis - Non-Infectious	1	1	1.4					(1)	1.7
Vaccine preventable diseases									
Diphtheria									
Influenza		10 (22)	48.1		1 (6)	13.8		7 (113)	21.6
Measles		1	1.4						
Mumps									
Pertussis		(1)	2.8		(2)	1.7		1 (4)	1.7
Pneumococcal infection			1.4			1.7		2 (1)	5.0
Varicella (chicken pox)		2 (4)	4.2			1.7			
Varicella (shingles)		4 (9)	22.6		3 (7)	13.8		5 (5)	14.9
Varicella (unspecified)		1 (3)	1.4		1	3.4		1	1.7
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									1.7
Dengue fever			2.8			1.7			
Malaria			1.4					1	1.7
Ross River virus						1.7		1	3.3
Typhus			1.4						3.3
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)	1	1 (1)	1.4	1	1	1.7			
Legionellosis									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	2	8 (17)	28.3	1	2 (2)	5.2	4	10 (9)	39.8
Tuberculosis									
iGAS		1 (2)	5.7		(2)	5.2			
Grand Total	6	74 (122)		2	46 (91)		9	103 (207)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)		1 (3)	4.9	9	54 (38)	3.5
Hepatitis C (newly acquired)				0	4 (9)	0.5
Hepatitis C (re-infection newly acquired)				0	1 (0)	0.0
Hepatitis C (re-infection unspecified)				0	0 (0)	0.1
Hepatitis C (unspecified)	1	3 (1)	14.7	18	82 (63)	5.4
Hepatitis D				1	2 (1)	0.1
Enteric diseases						
Campylobacteriosis		6 (4)	29.4	27	269 (303)	28.9
Cryptosporidiosis				1	14 (303)	1.5
Hepatitis A				0	1 (5)	0.2
Listeriosis				0	1 (1)	0.1
Paratyphoid fever				0	1 (2)	0.1
Rotavirus			9.8	0	57 (34)	8.6
STEC/VTEC infection		2 (1)	14.7	3	14 (13)	1.3
Salmonellosis		7 (4)	29.4	4	98 (169)	8.2
Shigellosis		2 (5)	9.8	0	23 (52)	2.4
Typhoid				0	5 (2)	0.3
Vibrio parahaemolyticus				0	0 (3)	0.1
Yersiniosis				0	12 (9)	1.0
Sexually transmissible infections						
Chlamydia (genital)	1	37 (44)	265.0	61	799*****	66.2
Gonorrhoea	2	33 (24)	208.6	22	363 (409)	34.5
Syphilis - Infectious		6 (7)	44.2	4	53 (74)	4.0
Syphilis - Non-Infectious		1	9.8	4	25 (24)	1.6
Vaccine preventable diseases						
Diphtheria		4	12.3	0	4 (0)	0.2
Influenza		1 (445)	34.4	28	419*****	43.6
Measles				0	2 (0)	0.1
Mumps				0	1 (0)	0.0
Pertussis		(11)	2.5	3	72 (149)	8.8
Pneumococcal infection		(2)	2.5	0	6 (7)	0.6
Varicella (chicken pox)		2	7.4	1	25 (34)	2.2
Varicella (shingles)	1	5 (4)	22.1	5	124 (195)	10.7
Varicella (unspecified)				31	245 (193)	17.8
Vector-borne diseases						
Barmah Forest virus				0	0 (4)	0.1
Chikungunya				0	1 (1)	0.1
Dengue fever				0	14 (40)	1.8
Malaria				0	5 (2)	0.4
Ross River virus		(5)	7.4	0	26 (93)	2.8
Typhus				0	3 (2)	0.3
Zoonotic diseases						
Q Fever				0	0 (1)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				2	3 (1)	0.2
Legionellosis				0	1 (6)	0.2
Melioidosis			2.5	0	0 (0)	0.0
Meningococcal infection				0	0 (0)	0.1
Mpox				0	0 (0)	0.0
RSV	1	23 (29)	112.9	36	232 (294)	17.2
Tuberculosis				6	12 (14)	0.5
iGAS		5 (6)	24.5	0	13 (14)	1.3
Grand Total	6	138 (595)		266	3086 (5235)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 9	
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2026	2025
	Salmonella Total	40	29	27	28	29	34	31	4	247
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	4
Salmonella Agona			1		1				2	0
Salmonella Albany		1							1	0
Salmonella Anatum									1	0
Salmonella Bareilly					1				2	18
Salmonella Birkenhead	1								1	0
Salmonella Bovismorbificans	1								1	4
Salmonella Chester	2	4		2	1				9	9
Salmonella Choleraesuis bv Australia			1		3	1			5	3
Salmonella Choleraesuis bv Decatur					1		1		3	6
Salmonella Concord									1	0
Salmonella Eastbourne			1						1	1
Salmonella Enteritidis	6	2	5	4	3	2	1		26	31
Salmonella Give	1					1			2	0
Salmonella Havana	1					3			4	2
Salmonella Heidelberg	1		1						2	2
Salmonella Infantis		1	3		1	3			9	8
Salmonella Javiana									0	0
Salmonella Kedougou	1								1	0
Salmonella Kentucky			2			2			6	7
Salmonella Kottbus			1						1	0
Salmonella Livingstone			1						1	0
Salmonella London		1							1	0
Salmonella Mbandaka		1		1					2	0
Salmonella Montevideo		1							1	0
Salmonella Muenchen		1		1	1				4	6
Salmonella Muenster		1							1	1
Salmonella Muenster var 15+									0	0
Salmonella Newport		2					1		3	5
Salmonella Oranienburg						1			1	1
Salmonella Oslo		1							1	1
Salmonella Paratyphi B bv Java	5	4	2	1	2	1	2		18	29
Salmonella Poona	1			1	1	1			4	0
Salmonella Potsdam						1			1	4
Salmonella Reading	1								1	4
Salmonella Rissen							1		1	0
Salmonella Saintpaul			2	2		1			6	7
Salmonella Senftenberg		1	1						2	2
Salmonella Singapore	1			1					2	2
Salmonella Stanley				1					2	7
Salmonella Tennessee	1	1		2	1	1			7	3
Salmonella Thompson		1			1		1		3	5
Salmonella Typhimurium	9	2	2	5	7	5	1		38	72
Salmonella Urbana				1					1	0
Salmonella Virchow	1	1	1	1			1		5	18
Salmonella Wandsbek subsp II							1		1	0
Salmonella Wandsworth	1								1	0
Salmonella Wangata						1			2	4

Weekly Report for period 08-JAN-26 to 04-MAR-26

	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	Cumulative Total to end of Week 9	
									2026	2025
Salmonella Total	40	29	27	28	29	34	31	4	247	308
Serotype/Phage										
Salmonella Welikade	1					1			2	1
Salmonella Weltevreden	1	1		1	1		1		5	6
Salmonella Zanzibar	1					1			2	0
Salmonella species	2	2	3	3	4	8	20	4	47	34
Salmonella subsp 1 ser 4,5:i:-				1					1	0
Salmonella subsp II									0	0
Salmonella subsp II ser	1								1	0